Water Use	Scientific Name	Common Name	Plant Type	Mature Size	Sun	Evergreen	Flammable	Native	Toxic	Cold Hardy	Remarks
2	Acacia angustissima 'Hirta'	Fern Acacia	S	5' H & W	FS , Psh	D		N			May freeze to ground in winter, but will recover. Soak root zone every month or two in summer, less or not at all in winte
1 - 2	Acacia berlandieri	Guajillo	т	5-12'H 5- 20'W	FS	E	FL			М	Thornless forms available
2	Acacia constricta	White Thorn Acacia	S	6 - 20' H & W	FS	D		N			Bark looks red in winter when wet
2 - 3	Acacia crassifolia	Butterfly-leaf Acacia	Т	10-15'H & W	FS , Psh	E					Leaves butterfly winged shaped
1 - 2	Acacia greggii	Catclaw Acacia	Т	15-25'H 15'W	FS	D		N			Thorns . Shrubby in drought, treelike with water.
1 - 2	Acacia rigidula	Blackbrush Acacia	T or S	10-15' H&W	FS	SE					Fragrant, pale yellow flowers almost glow on a bright spring day. To train to a single stalk, trim off suckers at base.
1 - 2	Acacia smallii	Sweet Acacia	т	10-35'H15- 25'W	FS	D	FL			М	Thorns
1 - 2	Acacia stenophylla	Shoestring Acacia	Т	30' H 20' W	FS	D	FL			М	Thornless
2 - 3	Achillea 'moonshine'	Moonshine Yarrow	Р	1.5' - 2' H 2' W	FS	E	FR				Silver gray foliage, deep yellow flowers
2 - 3	Achillea filipendulina	Fernleaf Yarrow	Р	4-5'H 3'W	FS						Deep green fernlike leaves. Bright yellow flowers. Several varieties.
2 - 3	Achillea millefolium	Common Yarrow	Ρ	See remarks	FS	E	FR				Many varieties of different colors. Spreads by underground runners.
3	Achillea serbica	Serbian Yarrow	Р	4" H 15" W	FS		FR				Slow growing mats of evergreen leaves covered with numerous white flowers
3	Achillea X kellereri	Keller's Yarrow	Р	6"H 12'W	FS		FR				Large white flower clusters continue through summer
1 - 2	Achnatherum hymenoides	Indian Rice grass	Gr	1-2' H & W	FS						Cool season grass. Leaves green in cool weather, golden brown in summer heat. Useful plant in desert landscapes.
3	Agastache spp.	Agastache	Р	2-4' H & W	FS , Psh						Check nursery for interesting hybrids and water requirements Reblooms if deadheaded.
1 - 2	Agave americana	Century Plant	Sc	6' H 10' W	FS , Psh	E					Variegated varieties available
1 - 2	Agave lechuguilla	Lechuguilla	Sc	10-20"H 8"W	FS , Psh	E					Note small size. Colonizes.
1 - 2	Agave palmeri	Palmer's Agave	Sc	3-4' H & W	FS , Psh	E		N			The most common agave found in the grasslands.
1 - 2	Agave parryi	0	Sc	2-3' W	FS , Psh	E		N			3' rosettes. Several varieties available
1 - 2	Agave parryi var. huachucensis	, ,	Sc	2 - 3' W	FS , Psh	E		N			Common in the Huachuca Mountains
1 - 2	Agave parviflora	Agave Parviflora	Sc	6"H 8"W	FS , Psh	E					Petite plants ideal for pots or small patio areas
1 - 2	Agave scabra	Rough-leaved Agave	Sc	4' H & W	FS	E					Wide gray green leaves rough on the back

Water Use	Scientific Name	Common Name	Plant Type	Mature Size	Sun	Evergreen	Flammable	Native	Toxic	Cold Hardy	Remarks
1 - 2	Agave utahensis	Agave Utah	Sc	1'H 2'W	FS	E					This species highly variable in form, size, and color. Often forms large clumps.
1 - 2	Agave victoriae reginae	Agave Victoria	Sc	Clumps 1' W	FS , Psh	E					Slow growing, can stand in ground or pot 20 years before flowering, and then die
3	Albizia julibrissin	Mimosa (Silk Tree)	Т		,	D					Can be controlled to a 10 to 20 ' umbrella patio tree. Sometimes multi stemmed.
3	Aloysia gratissima	Whitebrush	S	6'H 8'W	FS , Psh	D					Flowers strongly vanilla scented
3	Aloysia wrightii	Wright's Bee Bush	S	5' H & W	FS , Psh, but prefers sun	D		Ν			Blooms spring through fall
3	Alyssum montanum	Mountain Gold Alyssum	Gc	4"H 18""W	FS	Ρ	FR				After bloming is finished, sheer off the faded flowers just above the foliage and enjoy the texture of its low growing gray green mat of leaves
3	Alyssum wulfenianum	Alyssum	Ρ	1.5' W mound	FS , Psh						Prostrate & trailing with pale yellow flowers
3	Amorpha canescens	Leadplant	Р	2-4' H 3' W	FS						Prune to 1' in fall to increase flowers
2 - 3	Anacyclus depressus	Mount Atlas Daisy	Р	3" H 15" W	FS	E					Silvery gray foliage with white daisy flowers. Good plant for edging pathways.
3	Anisacanthus quadrifidus wrightii	Desert Honeysuckle	S	3' H - 4' H	FS , Psh	D					Rabbits love new shoots, so protect. For compact shape and prolific bloom, cut back to 1/2 to 1/3 before spring growth. Attracts hummingbirds.
3	Anisacanthus thurberi	Desert Honeysuckle	S	4' H & W	FS	D			*		Cut to ground before spring growth to rejuvenate. Attracts hummingbirds.
3	Arbutus unedo	Strawberry Tree	T or S	8 - 35' H & W	FS , Psh	E	FR				Non-edible fruits resemble strawberries in texture. Several varieties.
2 - 3	Arctostaphylos pungens	Manzanita	S	6' H & W	FS , Psh	E		N			Smooth red bark and crooked branches
1 - 2	Aristida purpurea	Purple Three-Awn	Gr	12 to 24"H 1' W	FS			N			Warm and cool season grass. Purple tinted stems and flowers.
1 - 2	Artemisia filifolia	Sand Sagebrush	Р	4'H 5'W	FS				*		Many branched shrub. Yellowish white flowers bloom spring through fall .
2 - 3	Artemisia frigida	Fringed Wormwood	Р	1.5' H & W	FS	E					Cut back as needed
2 - 3	Artemisia spp.	Artemisia	S or Gc	See remarks	FS	E		SOME N			Check with nursery for hardiness and size
2 - 3	Artemisia spp.	Artemisia spp.	P,S	See remarks	FS	E		SOME N			
2 - 3	Artemisia stellerana	Old Woman/Dusty Miller	Р	2.5' 'H 3'W	FS	E					Another dusty miller
2	Asclepias linaria	Pineleaf Milkweed	S	2' H 3' W	FS	E		N		М	Delicate needle like leaves, 2" white flower clusters bloom Ma Dec.

Water Use	Scientific Name	Common Name	Plant Type	Mature Size	Sun	Evergreen	Flammable	Native	Toxic	Cold Hardy	Remarks
1 - 2	Asclepias spp.	Milkweeds	P, some V	See remarks	FS , Psh	some E		SOME N			Height and width vary by species
3	Asclepias tuberosa	Butterfly Weed	Р	3'H 1'W	FS			N			Long lasting cut flowers
1 - 2	Atriplex canescens	Four-wing Saltbush	S	3-6' H 4-8' W	FS	E	FR	N			To keep compact, cut back by one third each year before spring growth
1 - 2	Atriplex lentiformis	Quail Bush	S	3-10'H 6- 12'W	FS	D	FR				Cut back by one third before spring growth
3	Aurinia saxatilis/Alyssum	Basket of Gold	Р	8-12" H mound	FS , Psh	E					Many varieties. Shear lightly to one half right after bloom.
2 - 3	Baccharis `starn'	Baccharis `Starn'	S	3-4' H 4-5' W	FS	E					Tolerates desert heat & resists root rot. This male cultivar that does not produce seed clusters.
2 - 3	Baccharis sarothroides	Desert Broom	S	5' H & W	FS	E		N			Purchase male plants only, females produce messy cottony seed clusters
1	Bahia absinthifolia	Bahia	Gc	1' H & W	FS	P, E		N			Shallow caliche soil OK. Fast growth rate. New plants volunteer readily.
2	Baileya multiradiata	Desert Marigold	A or P	1.5' H & 1' W	FS	E	FR	N			Short lived, but freely reseeds
3	Berberis haematocarpa	Red Barberry	S	5' H & W	FS , Psh	E		N			Attractive foliage, pretty flowers, showy berries. Other barberrys not water wise.
3	Berberis trifoliata	Agarita	S	6' H & W	FS	E	Some FR				Hollylike leaves. Yellow fragrant flowers Feb. thru Apr.
2	Berlandiera lyrata	Chocolate Flower	Р	1.5 - 3' H & W	FS	E		N			Shear seedheads lightly to encourage more bloom. Dry for winter bouquets.
1 - 2	Bothriochloa barbinodis	Cane Beardgrass	Gr	3'H 1.5'W	FS , Psh						Warm season grass. Can be scattered throughout a desert landscape.
1 - 2	Bouteloua	Side-oats Grama	Gr	1-2' H 2' W	FS			N			Warm season grass. Grows from seed or division. Use in
2	Bouteloua gracilis	Blue Grama Grass	Gr	1.5' H 1' W	FS			N			Warm season turf and pasture grass. If used as turf it is not low water use.
2	Brahea armata	Mexican Blue Palm	Т	40'H 25'W	FS	E					Takes heat & wind
2 - 3	Buddleja marrubiifolia	Wooly Butterfly Bush	S	5'H&W	FS	E					Small, balll shaped, orange flower clusters in spring and summer. Prune after bloom.
1 - 2		Yellow Bird of Paradise	T or S	5-10 'H 4' W	FS	D			*		Yellow flowers with red stamens. Naturalized.
1 - 2	Caesalpinia pulcherrima	Red Bird of Paradise	S	2-4' H & W	FS	D				М	Dies to ground in winter. Prune before spring growth. Red flowers.
1 - 2	Calliandra eriophylla	Fairy Duster	S or Gc	1-3' H - 4' W	FS , Psh	D	FR	N	*		No irrigation needed, but blooms will last longer with some summer water
3	Callirhoe alcaeoides	Logan Calhoun	Р	6" H  18- 24"W	FS						White flowers. Summer bloomer.
2 - 3	Callirhoe involucrata	Poppy Mallow	Р	5" H 24- 30"W	FS						Wine red flowers with a white eye all summer. Good cascader.
3	Callistemon citrinus	Bottlebrush	T or S	10-15' H&W	FS	E				М	Bruised leaves smell lemony

Water Use	Scientific Name	Common Name	Plant Type	Mature Size	Sun	Evergreen	Flammable	Native	Toxic	Cold Hardy	Remarks
2 - 3	Calylophus spp.	Sundrops	Ρ	1.5 'H 2' W	FS , Psh		FR	SOME N			Prune just before spring growth begins. Flowers in spring and from late summer to late fall (actually into winter).
2 - 3	Cassia wislizenii	Shrubby Senna	S	5-8'H 5-10- 'W	FS	D		N			Brilliant yellow flowers in late summer
3	Cedrus deodora	Deodar Cedar	Т	80'H 40'W	FS	E	FL				Many varieties available
3	Celtis occidentalis	Common Hackberry	Т	50' H&W	FS , Psh	D					Resistant to oak root fungus. Good choice for street or lawn tree.
2 - 3	Celtis pallida	Desert Hackberry	T or S	10' H & W	FS , Psh	D	FR		*		Good for screen, barrier or erosion planting
3	Celtis reticulata	Netleaf Hackberry	Т	25-30 'H & W	FS , Psh	D	FR	N			Good choice for street or lawn tree
2 - 3	Centaurea, Artemisia, Senecio spp.	Dusty Miller	A,P or B	See remarks	FS	E					Common name given to many plants with lovely gray foliage. Size varies.
2 - 3	Centranthus ruber	Jupiter's Beard	Р	3' H & W	FS , Psh						Not fussy about growing conditions. Blooms late spring through summer.
2 - 3	Ceratoides lanata	Winter Fat	S	1.5 - 3'H& W	FS , Psh	E		N			Can be used in dry arrangements
2 - 3	Cercidium Desert Museum	Desert Museum Palo Verde	Т	20 ' H & W	FS	D					Clean, thornless and few seedpods and litter. Prune only to enhance form. Don't prune in summer. Hybrid.
2 - 3	Cercidium floridum	Blue Palo Verde	Т	35'H 30'W	FS	D					Do not prune in summer. Prune only to enhance form.
2 - 3	Cercidium microphyllum	Littleleaf Palo Verde	Т	20' H & W	FS	D		N			Also called foothills palo verde Arizona state tree.
3	Cercis occidentalis	Western Redbud	T or S	10-18 'H & W	FS , Psh	D	FR				Multi stemmed. Magenta flowers in spring. Many seed pods in summer. 'Alba' is a 3 to 6' white flowered shrub.
1 - 2	Cercocarpus spp.	Mountain Mahogany	T or S	See remarks	FS	E or D		SOME N			Check with nursery for sizes
2 - 3	Chamaebatiaria millefolium	Fernbush	S	6-8'H&W	FS	D, SE,E					Fragrant, light green ferny foliage. Upright white flower clusters 4" long.
3	Chamaemelum nobile	Chamomile	Р	3-12" mat	FS , Psh						Small yellow button flowers. Useful between stepping stone:
2 - 3	Chilopsis linearis	Desert Willow	T or S	15-30'H10- 20'W	FS	D	FR	N			Flowers spring to fall, producing trumpet shaped blossoms that attract hummingbirds. Sterile varieties not messy. Usually multi trunked.
2 - 3	Chitalpa tashkentensis	Chitalpa	Т	20-30' H&W	FS	D					Flowers spring to fall. Chitalpa is a cross between Catalpa and Desert Willow. Susceptible to leaf spot, but won't harm tree. Rapid grower.
2 - 3	Chrysactinia mexicana	Damianita	S	2' H & W	FS	E					Shear in early spring. Cut back severely if too woody.

Water Use	Scientific Name	Common Name	Plant Type	Mature Size	Sun	Evergreen	Flammable	Native	Toxic	Cold Hardy	Remarks
1 - 2	Chrysothamnus nauseosus	Rabbitbrush	S	6'H3'W	FS	E	FR	Ν			Leaves and stems aromatic. Good for natural plantings. C. viscidiflorus also available. Important: must have good drainage.
2 - 3	Cissus trifoliata	Arizona Grape Ivy	V	Climbs to 30'&2'W	FS				*		Evergreen only in warmest locations. Useful for covering chain link fences or trellises.
2	Condalia lycioides, mexicana, spathulata	Crucillo	S	8-' H - 10' W	FS	E		N			Good as security barrier but slow growing
2	Conoclinium (Eupatorium) greggii	'Boothill'	Ρ	1.5 -2'H 1- 3'W	FS , Psh			N			First found near Tombstone. Fluffy lavender flowers late spring to fall.
3	Convolvulus cneorum	Bush Morning Glory	S/Gc/V	2-4' H & W	Psh , FS	E			*	М	
2 - 3	Cordia parvifolia	Little-leaf Cordia	S	4-8' H 4-10' W	FS	E	FR				Can be used as an informal hedge
2 - 3	Coreopsis spp.	Coreopsis	A or P	See remarks	FS		FR				Many species. Check with nursery for hardiness, size and interesting varieties.
3	Cosmos spp.	Cosmos	A or P	See remarks	FS						Various colors Several varieties from 1 to 7' H
2 - 3	Cotoneaster spp.	Cotoneaster	S or Gc	See remarks	FS	D, E, or SE	FR				Many cotoneasters OK in our area. Check nurseries for hardiness and size.
2 - 3	Cupressus arizonica	Arizona Cypress	Т	40'H 20'W	FS	E	FL	N			Can be used as a windbreak
2 - 3	Cupressus forbesii	Tecate Cypress	Т	10-25'H 20'W	FS	E	FL				Fast grower. Keep on dry side so it won't grow so fast that it will topple.
2 - 3	Cupressus sempervirens	Italian Cypress	Т	60H 10'W	FS	E	FL				Several varieties available
2 - 3	Dalea bicolor	Indigo Bush/Silver Dalea	S	3-4' H & W	FS	D,SE,E	FR				Rapid regrowth from hard winter pruning brings a quick crop of fresh foliage. Overwatering or drought can cause partial leaf drop.
2 - 3	Dalea capitata	Golden Dalea	S or Gc	8"H 3'W	FS	E	FR				Cut back in winter to generate new spring growth. Overwatering or drought can cause partial leaf drop.
2 - 3	Dalea frutescens	Black Dalea	S	3'H 4'W	FS	E	FR				Prune by one half in January. Overwatering or drought can cause partial leaf drop.
2 - 3	Dalea greggii	Trailing Indigo Bush	GC	1.5'H 6'W	FS	E	FR	N			Mounding habit. Overwatering or drought can cause partial leaf drop.
	Dalea pulchra	Smoke Bush/Indigo Bush	S	8'H 5'W	FS	E		N			Spectacular spring bloom of purple flower clusters. Allow ample room to grow.
2 - 3	Dalea purpurea	Purple Prairie Clover	Р	18" H & W	FS					М	Heavy summer bloomer
1 - 2	Dasylirion acrotriche	Green Desert Spoon	S	3-4' H - 4-5' W	FS , Psh	E					Spherical clump. 10' or higher flower stalk.

Water Use	Scientific Name	Common Name	Plant Type	Mature Size	Sun	Evergreen	Flammable	Native	Toxic	Cold Hardy	Remarks
1 - 2	Dasylirion quadrangulatum	Mexican Grass Tree	S	10-16'H & 9' W	FS , Psh	E				М	Green leaves in fountainlike clump
1	Dasylirion texanum	Texas Sotol	S	5' H & W	FS	E					15' H flower stalk
1 - 2	Dasylirion wheeleri	Desert Spoon	S	3-5' H 4-5' W	FS , Psh	E		N			Spherical clump. In fall, 9-15' flower spikes. Prized in dry arrangements.
2 - 3	Delosperma spp.	Ice Plant	P, Sc	See remarks	FS , Psh	E	FR				Several species. Check with nurseries for size and hardiness
3	Dianthus gratianopolitanus	Firewitch	Gc	1' W mat	FS , Psh						Gray blue foliage, hot pink flowers
1 - 2	Digitaria californica	Arizona Cottontop	Gr	2'H 1'W	FS			N			Warm season grass. Lovely silvery seedheads.
2 - 3	Dodonaea viscosa	Green Hopbush	S	10' H & 6' W	FS , Psh	E	FL	N			Can be trained as a small tree
1	Echinocactus grusonii	Golden Barrel Cactus	Sc -C	3'H 2'W	FS , Psh	E				М	Best known barrel. Combines well with other cacti and succulents.
1	Echinocereus pectinatus varieties	Arizona or Texas Rainbow Hedgehog	Sc -C	1' H	FS , Psh	E		SOME N			Alternating reddish and pale yellow horizontal bands on stem
1	Echinocereus triglochidiatus	Claret Cup	Sc -C	6"H	FS	E		SOME N			One of nearly 50 hedgehogs. Showy red flowers. Forms clumps .
3	Echinops spp.	Globe Thistle	Р	2-4' H 2' W	FS						Check with nursery. Excellent for dry arrangements. Severa species.
2 - 3	Elaeagnus angustifolia	Russian Olive	Т	20' H & W	FS , Psh	D					Can be clipped to make a hedge Takes almost any kind of punishment.
3	Elytrigia elongata 'Jose Select'	Jose Select Tall Wheatgrass	Gr	4-5'H 1.5"W	FS						Warm season grass. Grows in any soil including highly alkaline clay.
1 - 2	Ephedra spp.	Mormon Tea	S	See remarks	FS	E		SOME N			Erect and densely branched. Check with nursery for sizes.
2	Ericameria laricifolia	Turpentine Bush	S	2 - 3' H	FS	E	FL	N			If the plant becomes lanky, prune it back and it will regrow wit dense foliage
2 - 3	Erigeron spp.	Fleabane	р	See remarks	FS , Psh	E	FR	SOME N			Check with nursery for sizes and hardiness
1	Eriogonum alberti	Albert's Buckwheat	Р	1.5' H 1'W	FS		FL	N			Tiny pink flowers appear in clusters mid summer through fall
2 - 3	Eriogonum spp.	Buckwheat	S	See remarks	FS	E	FL	SOME N			Check with nursery for size and hardiness
2 - 3	Eriogonum umbellatum	Sulfur Flower	Ρ	1.5' H 3' W	FS						Prune to shape when plants are young
1 - 2	Eriogonum wrightii	Wright's Buckwheat	Р	18" H 24" W	FS		FL	N			Tiny white or pink flowers appear in clusters midsummer through fall
3	Erodium chrysanthum	Yellow Stork's Bill	Ρ	5"H 12"W	FS						Primrose yellow flowers with lacy greeen foliage. Late spring blooming.

Water Use	Scientific Name	Common Name	Plant Type	Mature Size	Sun	Evergreen	Flammable	Native	Toxic	Cold Hardy	Remarks
2	Erythrina flabelliformis	Coral Bean	S	3-4' H - 2' W	FS	D	FR	N	*		Short spines. Seeds poisonous. Will freeze to ground in winter, but will recover.
2 - 3	Eschscholzia californica ssp. mexicana	Californica Poppy	A	8" H 1' W	FS		FR	N			Deep golden flowers in spring
1 - 2	Eucalyptus spp.	Eucalyptus	T or S	See remarks	FS	E	FL				Check with nursery for hardiness and size. Prolonged freezes can kill even large trees. Susceptible to eucalyptus redgum lerp psyllid.
2	Euphorbia spp.	Euphorbia	A, B or P	See remarks		Some D, Some E		SOME N	*		About 2000 species in genus . Only buy plant species that use moderate or less water. Can be trees, shrubs, perennials or annuals. All euphorbias have a milky white sap that is toxic on contact, including gopher plants and poinsettias. Water requirements, exposure, size vary by species.
1	Evolvulus arizonicus	Arizona Blue Eyes	Gc	1' H & 1' W	FS			N			Usually grown as an annual
1 - 2	Eysenhardtia orthocarpa	Kidneywood	T or S	20' H 12' W	FS	D		N			Excellent tree for small spaces. White vanilla scented flower spring to summer.
1	Fallugia paradoxa	Apache Plume	S	4-6' H 5' W	FS	E		N			Pruning usually not needed. Seed heads are feathery pink, like an Apache headdrress.
2	Fendlera rupicola	False Mockorange	S	4'H & 4'W	FS	D		N			Fragrant white flowers bloom in spring
1	Ferocactus wislizenii	Fishhook Barrel Cactus	Sc -C	10' H 3' W	FS	E		N			Yellow or yellow edged flowers in fall. Hooked spines like fishhooks.
2 - 3	Forestiera neomexicana	Desert Olive	T or S	12-18'H 12'W	FS	D	FR				Fairly fast grower. Can be trained to be a small multi trunked tree.
1 - 2	Fouquieria splendens	Ocotillo	S	8-15'H 5- 10'W		D		N			Attractive long red flower clusters resemble candles. Does not regularly have leaves.
3	Frangula californica	Coffeeberry/Buckthor n	S	3-15' H - 8' W	FS , Psh	E		N			No irrigation needed when established. Check with nursery for size & color.
2	Fraxinus greggii	Little-leaf Ash	Т	25'H 20'W	FS	SE					May be multi trunked. Good size ash for small yards.
3	Fraxinus velutina 'Rio Grande'	Arizona Ash	Т	30'H 30- 40'W	FS	D	FR	N			Rio Grande', Fan tex ash is the recommended ash for this area. Thrives in hot, dry climates and alkaline soils. Foliage resistant to wind burn.
2 - 3	Funastrum cynanchoides	Climbing Milkweed	V	10' long	FS , Psh	D		N			Starlike white flowers bloom May to September
2 - 3	Gaillardia spp.	Gaillardia	A or P	2-4' H 11/2' W	FS		FR	SOME N			Height of the several species vary. Check with nursery.
1 - 2	Garrya wrightii	Silk Tassel	S	8'H 6'W	FS , Psh	E	FR	N			Can be used as an informal hedge
	Gaura lindheimeri	Gaura	Р		FS		FR				Several varieties. Remove seed bearing spikes to improve appearance. Long bloom period.
2 - 3	Gilia spp.	Gilia	A	See remarks	FS			SOME N			Check nursery for sizes. Flowers late spring to early fall.
2 - 3	Gossypium thurberi	Wild Cotton	S	2 - 6' H 3' W	FS , Psh	D	FL	N			Head back fast growing terminal branches to side buds for a more compact plant

Water Use	Scientific Name	Common Name	Plant Type	Mature Size	Sun	Evergreen	Flammable	Native	Toxic	Cold Hardy	Remarks
1 - 2	Gutierrezia sarothrae	Snakeweed	S	18' H 2' W	FS	E		N			Low growing shrub with July to Sept flowers can brighten a desert garden
3	Helianthemum nummularium	Sun Rose	Gc	6" H 18" W		E					Several colors. Shear after flowering for light repeat blooming.
3	Helianthus maximiliana	Sante Fe Helianthus	A or P	6-8' H 4' W	FS						Fall bloomer has large golden yellow flowers. Grows in any soil.
2 - 3	Heliomeris (Viguiera) spp.	Goldeneye	A or P	3' H & 3' W	-			SOME N			Cut back after bloom or before new growth begins. Can be grown from seed.
2 - 3	Hesperaloe parviflora	Red Yucca	Р	3-4'H& W	FS , Psh	E					Heat tolerant. Red flowers. There are yellow and yellow red flowered forms.
2 - 3	Hyptis emoryi	Desert Lavender	S	3-10'H - 3- 8'W	FS	E				М	Erect or spreading shrub. May die to roots in winter.
2	Ipomoea coccinea	Scarlet Creeper	Vine	8' H	FS			N	*		Bright red tubular flowers frequented by hummingbirds
3	Juglans major	Arizona Walnut	Т	50' H & W	FS	D		N			Edible nuts have a rich flavor
2 - 3	Juniperis spp.	Juniper	S or Gc	See remarks	FS , Psh	E	FL				Expect root rot if soil is waterlogged. Check with nursery for hardiness and size. Don't plant next to lawn sprinklers or overwater.
2	Juniperus spp.	Juniper	Т	See remarks	FS , Psh	E	FL	SOME N			Check with nursery for size, water requirements & hardiness. When junipers fail, it's usually from too much moisture .
2 - 3	Justicia californica	Chuparosa	S	3'H 4'W	FS , Psh	SE or D				М	May freeze to ground in winter, but will come back quickly in spring
3	Kniphofia uvaria	Red Hot Poker	Р	3' H & W	FS					М	Easy to grow. Grasslike foliage. Red & yellow spikes in summer.
3	Koelreuteria paniculata	Goldenrain Tree	Т	20 H & W	FS	D					Can be gawky without pruning
3	Lagerstroemia spp.	Crape Myrtle	T or S	See remarks	FS	D	FR				All crape myrtles hardy for our zone except L. speciosa (Gian crape myrtle). Check with nursery for sizes and colors .
3	Lagerstroemia spp.	Crape Myrtle	S	See remarks	FS	D	FR				Several species, many varieties Check with nursery for size and colors
3	Lantana spp.	Lantana	S or Gc	See remarks	FS	D			*		All lantanas OK for our area. Many colors and varieties. Will die to ground in winter, but should recover. Check with nursery for size.
1 - 2	Larrea tridentata	Creosote Bush	S	4-6 'H - 8' W	FS	E	FL	N			Plants in shade become leggy
3	Lavandula spp.	Lavender	S, A or P	See remarks	FS		FR				Many species and varieties available All are water wise, but some are not hardy in our zone. Check with nursery for hardiness and size.
1 - 2	Leonotis leonurus	Lion's Tail	S	4 - 6' H & W	FS	E					If frost hits, cut back to live growth in spring.

Water Use	Scientific Name	Common Name	Plant Type	Mature Size	Sun	Evergreen	Flammable	Native	Toxic	Cold Hardy	Remarks
2 - 3	Leucaena retusa	Golden Ball Lead Tree	T or S	12-20' H & W	FS	E in mild winters, D otherwise					Useful between cultivated garden and native desert. Best if planted in wind-sheltered area.
2 - 3	Leucophyllum spp.	Texas Ranger/Sage	S	See remarks	FS	E					Many species. Requires little or no pruning. Check nursery for size.
3	Limonium latifolium	Blue Statice	A or P	30"H 24" W	FS , Psh						Airy summer bloomer with lavender blue sprays. Good dried cut flower.
3	Linum lewisii	Western Blue Flax	A or P	3' H 1' W	FS		FR	N			Easy to grow from seed. Hard to divide. Other linums OK.
2	Lycium spp.	Lycium	S	6' H & W	FS	D		N			Can be used for barrier plantings
3	Macfadyena unguis-	Cat's Claw	V or Gc	25-40'	FS , Psh	E or D					After bloom, cut back some stems to stimulate growth lower
1 - 2	Mammillaria spp.	Pincushions	Sc -C	2-6" H	Psh	E		SOME N			Many species. Globe or cylindrical shape. Keep dry in winter to induce bloom. Many species .
2 - 3	Melampodium leucanthum	Blackfoot Daisy	Ρ	1' H & W	FS			N			If straggly, cut back in fall. Grows best in decomposed granite.
2	Muhlenbergia capellensis	Regal Mist	Gr	3' H & W	FS						Warm season grass. Spectacular dusky pink in the fall.
2	Muhlenbergia capillaris	Pink Muhly	Gr	3'H - 6'W	FS , Psh						Warm season grass. Very drought tolerant, looks better and bigger if given some water.
2	Muhlenbergia emersleyi	Bull Grass	Gr	1.5'H 3-4'W	FS , Psh			N			Warm season grass. Feathery spikes are purplish to reddish fading to cream with age.
2	Muhlenbergia spp.	Muhly/Deer Grass	Gr	Size varies	FS , Psh	Some E in mild winters		SOME N			Warm season grass
2 - 3	Myoporum parvifolium	Myoporum	Gc,S	3-6" H 9' W	FS	E				М	Great ground cover. Some dieback in cold winters, recovers rapidly.
2 - 3	Myrtus communis	Myrtle	S	5-6" H 4-5' W	FS , Psh	E	FR				Many named selections. Check with nursery for size and hardiness.
2 - 3	Nandina domestica	Heavenly Bamboo	S	3-6' H 2-3' W	FS , Psh	E	FR				Many varieties. All types turn crimson in fall. Cut oldest canes to ground in spring before growth begins. Dwarf varieties available.
2	Nassella tenuissima	Mexican Feather Grass/Needle Grass	Gr	2'H 2-3'W	FS						Warm season grass. Among finest textured and most billowy looking of all grasses. Can be invasive.
3	Nepeta spp.	Catmint/Catnip	Р	See remarks	FS , Psh						Great for attracting every cat in the neighborhood. Many varieties, check for height, width and hardiness.
2 - 3	Nerium oleander	Oleander	S	3-20'H 4- 12'W	FS	E	FR		*		Routine pruning not necessary. Do not burn wood, smoke may cause skin irritation.
2	Nolina matapensis	Tree Bear Grass	Ρ	10-25'H 10'W	FS						Allow ample space for growth. Lush looking species.
1 - 2	Nolina microcarpa	Bear Grass	Р	3'H 6'W	FS			Ν			Strong vertical silhouette Good for dry landscapes.

Water Use	Scientific Name	Common Name	Plant Type	Mature Size	Sun	Evergreen	Flammable	Native	Toxic	Cold Hardy	Remarks
2 - 3	Oenothera spp.	Evening Primrose	Ρ	See remarks	FS , Psh		FR	SOME N			Open during day. Stems die back in winter. All except Oenothera elata hookeri OK for our area. Sizes variable, check with nursery.
2 - 3	Olea europaea	Olive 'Swan Hill'	Т	25-30' H&W	FS	E				М	This is a sterile variety. Non sterile varieties stain pavement and lawns and are allergenic.
1	Opuntia basilaris	Beavertail Cactus	Sc -C	1'H 4'W	FS	E					Purplish pads. Very common in Arizona landscapes.
1	Opuntia bigelovii	Teddybear Cholla	Sc -C	3-6' H 3' W	FS	E				М	Beautiful, but treacherous
1	Opuntia echinocarpa	Silver Cholla	Sc -C	3' H & W	FS	E					Spines not sharply barbed
1	Opuntia ellisiana	Tiger Tongue	Sc -C	4'H 6'W	FS	E					Spineless small pads. Tidy prickly pear.
1		Engleman's Prickly Pear	Sc -C		FS	E		N			Most common prickly pear in Arizona
1	Opuntia imbricata	Tree Cholla	Sc -C	6- 8 'H 10'W	FS	E					Deep pink flowers followed by green fruit. Shrubby when young, then treelike.
1	Opuntia leptocaulis	Desert Christmas Cactus	Sc -C	2 - 3' H & W	FS	E					Thin stems with bright red fruit
1	Opuntia macrocentra	Purple Prickly Pear	Sc -C	4'H 6'W	FS	E		N			Spines are half white and half dark. 'Tubac' is said to hold purple color throughtout year.
1	Opuntia santa-rita	Santa Rita Prickly Pear	Sc -C	4'H 6'W	FS	E		N			The purple coloration of this prickly pear becomes more pronounced with drought or cold weather
1	Opuntia spinosior	Cane Cholla	Sc -C	8' H 4' W	FS	E		N			Favored nesting plant for cactus wrens and thrashers. Magenta flowers, yellow fruit.
2 - 3	Origanum spp.	Oregano	Р	2' H & W	FS usually					SOME M	Check with nursery for exposure and hardiness. Many species, some not hardy in our area.
3	Panicum virgatum 'Prairie Sky'	Prairie Sky	Gr	4 - 5'H 2'W	FS						Warm season grass. Tight growing upright columns of sky blue foliage.
3	Parthenocissus spp.	Creeper Vines	V	See remarks	FS , Psh	D		N		SOME M	Handsome foliage is beautifully colored in autumn. P. henryana marginal in our zone. Inquire at nursery for size.
2	Pennisetum setaceum 'Rubrum'	Purple Fountain Grass	Gr	5' H & W	FS , Psh						Warm season grass. This attractive pennisetum variety usually does not self sow. The green variety is invasive.
2 - 3	Penstemon spp.	Penstemon	Ρ	See remarks	FS , Psh		FR				Over 250 species, many natives. Check nursery for size, hardiness and water requirements. If plants require regular water, then they are not acceptable.
2 - 3	Perovskia	Russian Sage	Р	3-4' H & W	FS	E	FR				Trim spent blossoms to extend bloom season. Several varieties.
3	Phemeranthus calycinum	Flame Flower	Р	8-12" H 5' W	FS						Often goes dormant before first frost. Long summer bloomer
3	Phlomis russeliana	Hardy Jerusalem Sage	Р	36"H 20" W	FS , Psh						Yellow flowers, olive green leaves
3	Phlox tenuifolia	Desert Phlox	Р	2' H & W	FS , Psh			N			Mounded white flowers

Water Use	Scientific Name	Common Name	Plant Type	Mature Size	Sun	Evergreen	Flammable	Native	Toxic	Cold Hardy	Remarks
1 - 2	Pinus cembroides, edulis, monophylla	Pinyon Pine	Т	10 - 25' H	FS	E	FL	N			Cones contain edible seeds. Pine nuts edible. Slow growing
2	Pinus eldarica	Afghan Pine	Т	30-80'H 15- 25'W	FS	E	FL				One of best pines for desert
2	Pinus mugo mugo	Muhgo Pine	S	4-8' H 8-15' W	FS	E	FL				Group includes compact selections
2 - 3	Pinus pinea	Italian Stone Pine	Т	40-80'H 40- 60'W	FS	E	FL			М	Eventually too large for small gardens
2 - 3	Pistacia chinensis	Chinese Pistache	Т	30-60' H & W	FS	D	FR				Reliable tree for streetside planting, lawn, patio, or garden Good fall color
3	Potentilla fruticosa	Shrubby Cinquefoil	S	1-3'H 3-4'W	Psh in hottest climates	D					Many varieties, white pink, red and yellow flowers
2 - 3	Prosopis alba or chilensis	Argentine/Chilean Mesquite	т	20 - 40' H & W	FS	SE or E in mild climates					Thornless forms available
2	Prosopis glandulosa	Honey Mesquite	Т	30' H & W	FS	D					Often multi trunked Little pruning needed. Thorniness variable. Cutting grown 'Maverick' is a superior thornless form.
2	Prosopis pubescens	Screwbean Mesquite	T or S	30' H & W	FS	D		N			Seed pods tightly coiled in a spiral curl. Highly prized in dried arrangements.
2	Prosopis velutina	Velvet Mesquite	Т	20' H 30' W	FS	D		N			Thorniness variable
1 - 2	Psilostrophe spp.	Paper Flower	Р	18" H & W	FS	E		N			Dried flowers can be used in arrangements
2	Psorothamnus scoparia	Broom Dalea	S	3' H 4' W	FS	D		N			Requires sandy soil. Does not tolerate overwatering. Attractive erosion control.
2 - 3	Purshia mexicana	Cliffrose	S	6' H & W	FS	E	FL	Ν			Fragrant creamy flowers
2 - 3	Pyracantha spp.	Firethorn	S	See remarks	FS	E	FR				Many species and hybrids. Check with nursery for sizes.
2 - 3	Quercus buckleyi	Buckeye Oak	T or S	35' H & W	FS	D				Μ	Trunk branches almost from base
2 - 3	Quercus chrysolepis	Canyon Live Oak	Т	20-60' H&W	FS	E					Handsome round headed or somewhat spreading tree with smooth whitish bark.
2	Quercus emoryi	Emory Oak	Т	50'H 40'W	FS	SE		N			Hollylike leaves. Tolerates a variety of soils. May shed leaves in spring.
2 - 3	Quercus gambelii	Gambel Oak	T or S	15-30'H 15'W	FS	D		N			Foliage turns yellow red or orange in fall
2 - 3	Quercus gambellii	Gambell Oak	T or S	15-30'H 15'W	FS	D		N			Foliage turns yellow red or orange in fall
2 - 3	Quercus hypoleucoides	Silverleaf Oak	т	40' H 35 'W	FS	SE		N			Leaves silvery white and woolly underneath. Sheds leaves in spring.
2 - 3	Quercus ilex	Holly Oak	Т	30-60' H & W	FS	E					Growth can be fairly fast, but varies with soil and water conditions
2 - 3	Quercus muehlenbergii	Chinquapin Oak	т	40-50'H 50- 60'W	FS	D					Acorns edible. Leaves turn orange and bronze in fall.

Water Use	Scientific Name	Common Name	Plant Type	Mature Size	Sun	Evergreen	Flammable	Native	Toxic	Cold Hardy	Remarks
2	Quercus oblongifolia	Mexican Blue Oak	Т	30' H & W	FS	SE		Ν			Gray bark fissured in square plates. Sheds leaves in spring.
2 - 3	Quercus suber	Cork Oak	Т	30-60' H&W	FS	E					Handsome thick corky bark
2	Quercus turbinella	Desert Scrub Oak	S	10' H & W	FS	E		N			Water during dry spells. Can be trained as a small tree.
1	Rhamnus ilicifolia	Holly Redberry	T or S	15' H & W	FS , Psh	E					No irrigation needed when established. Bulky shrub or shrubby tree.
2 - 3	Rhus spp.	Sumac	T or S	See remarks	FS	E & D	FR	SOME N			Check with nursery for size and hardiness
2 - 3	Rhus virens	Evergreen Sumac	S	12' H & W	FS , Psh	E		N			Use as informal hedge or as background for other plants
2	Robinia neomexicana	New Mexican Locust	T or S	6 - 30' H & W		D	FR	N			Thorns. Wood brittle. Fast growing. Aggressive roots. Suckers.
3	Rosa banksiae	Tombstone Rose	S	See remarks	FS	E					Can grow to humongous size, but can be controlled. Local experience says moderate water OK
2 - 3	Rosmarinus officinalis	Rosemary	S or Gc	See remarks	FS	E					Many varieties. Check nursery for size and characteristics.
3	Ruschia calvinia pink	Shrubby Ice Plant	Р	18"H & W	FS	E					Shrublet. Clear pink flowers. Winter foliage is purple.
2	Salazaria mexicana	Paperbag Bush	S	3' H & W	FS	D					Common name refers to fruit that develops into an inflated pouch
3	Salvia chamaedryoides	Blue Sage	Р	1-2' H 2-3' W	FS	E	FR			М	Deadhead to encourage rebloom
2 - 3	Salvia chinophylla	Creeping Sage	Gc	4" H - 4' W	FS	E	FR				Interesting, attractive plant all year. Small blue flowers.
3	Salvia clevelandii		S	3-5' H 5-' W		E	FR				Many hybrids. Remove faded spikes to encourage rebloom.
3	Salvia dorrii	Desert Sage	S	1-3' H 2-4' W	FS	E	FR				Good in dry desert garden
3	Salvia greggii	Autumn Sage	S	1-4' H & W	FS	E	FR				Blooms spring and fall. Many varieties covering wide color range. Deadhead. Cut back to one half in winter to keep it full.
3	-	, ,	S		1	E	FR				The deep green foliage has an herbal fragrance when crushe
3			S	4' H & 3' W		E					Available in various colors
2	Salvia mohavensis	Mojave Sage	S or Gc	2' H 2.5' W	FS	E	FR				Be careful not to overwater in summer. Fragrant foliage.
3	Salvia muelleri	Royal Purple Sage	S	2-3'H 4-6'W	FS	E	FR				Drought tolerant. Spring to fall flowers.
2	Salvia pachyphylla	Giant Flowered Purple Sage	S	3'H 2.5'W	FS	E	FR				Blooms all summer. Evergreen silver foliage. Prune & shar in fall.

Water Use	Scientific Name	Common Name	Plant Type	Mature Size	Sun	Evergreen	Flammable	Native	Toxic	Cold Hardy	Remarks
2 - 3	Salvia sclarea	Clary Sage	B or Short- Lived P	3-4' Flower Stalks & 2-3 W			FR				Short lived. Cutting stems before seeds form produces rebloom and may prolong plant's life.
3	Sambucus mexicana	Blue Elderberry	T or S	10-30'H 8- 20'W	FS , Psh	E		N			Drops its foliage during drought
2	Santolina spp.	Santolina	S	See remarks	FS	E	FR				Size varies by species. Cut back yearly before spring growth
2 - 3	Scutellaria spp.	Prairie Skullcap	Р	See remarks	FS	E		SOME N			Neat mound of lavender blue flowers in late spring. Check with nursery for size.
3	Scutellaria x hybrid	Violet Cloud'	Р	6"H 15" W	FS , Psh	E					Mounding habit. Water regularly first season.
2 - 3	Sedum spp.	Sedum/Stonecrop	Р	See remarks	FS , Psh	E	FR	SOME N			Many species. Check nursery for sizes. Will not take foot traffic
2	Sempervivum tectorum	Hens and Chickens	P, Sc	2-5"W rosettes	Psh	E					Water only to prevent shriveling
2 - 3	Senecio cineraria	Dusty Miller	S	2' H & W	FS	E	FR				Another dusty miller. Gets legggy unless sheared
1 - 2	Senecio longilobus	Threadleaf Grounsel	S	3'H 2'W	FS	E		N	*		Poisonous to livestock. Common on overgrazed grasslands. Do not overwater.
2 - 3	Senecio viravira	Dusty Miller	S	4' H & W	FS , Psh		FR				Fuller in full sun. Tip pinch young plants to keep them compact.
3	Silene laciniata	Mexican Catchfly	Ρ	15" H & W	FS			N			Summer blooming. Too much water after established will cause plant to get floppy.
2	Simmondsia chinensis	Jojoba (Goat Nut)	S	3-6' H & W	FS	E		N		М	Inconspicuous flowers. Can be used as a hedge. Available in dwarf form.
3	Solidago spp.	Goldenrod	Ρ	1-3'H 2'W	FS , Psh				*		Four native Solidago species in Cochise County. Does not cause hay fever.
3	Sophora secundiflora	Texas Mountain	T or S	15-25'H10-	FS , Psh	E			*	М	Naturally shrubby, but can be trained into a tree
1 - 2	Sphaeralcea spp.	Globernallow	Ρ	2-4' H 1.5- 3' W	FS	D		SOME N			Cut old stems almost to ground in spring. Many colors available.
2 - 3	Sporobolus airoides	Alkali Sacaton	Gr	3' H & W	FS			N			Warm season grass. Showy five foot tall, feather like panicle in summer.
2 - 3	Sporobulos wrightii	Big Sacaton	Gr	4-5'H & W	FS			N			Warm season grass. Showy 7' tall, feather- like panicles in summer.
3	Stachys byzantina	Lambs Ears	Ρ	18" H	FS , Psh	E					Tongue shaped woolly white leaves. Spreads by surface runners.
3	Stachys spp.	Stachys	P,S	Sizes vary	FS , Psh		FR				Coccinea native in Cochise County. Not fussy about soil
2	,		P	36"H 18"W							ut off entire flower spike after blooming to fill out the plant. Clear yellow flowers.
3	Tagetes lemmonii	Mountain Marigold	Р	3-6'H&W	FS	E, SE or D		N			Leaves fragrant when rubbed. Can flower all year. Cut back
3	Tecoma stans	Yellow Bells	S		FS , Psh	E		N		М	Will die back in winter, but will recover quickly
2 - 3	Tetraneuris acaulis	Angelita Daisy	Ρ	8" H 12' W	FS	E					12" stems. Daisy yellow flowers nearly all year in mild winter climates. Cut off faded flowers to prolong bloom.

Water Use	Scientific Name	Common Name	Plant Type	Mature Size	Sun	Evergreen	Flammable	Native	Toxic	Cold Hardy	Remarks
2 - 3	Tetraneuris scaposa	Clustered Goldflower	Р	8"H 12"W	FS	E					16" stems. Cut off faded flowers to prolong bloom.
3	Teucrium fruticans	Bush Germander	S	4-8' H & W	FS	E					Blooms almost year round
3	Teucrium x lucidrys	Germander	Р	1'H 2'W	FS	E					Thin and cut back before spring growth begins. T. prostratum is 4 to 6" Hi and 3' or more wide.
3	Thymophylla spp.	Dyssodia (Includes Dogweeds,Dahlberg	P, some A	1.5'W	FS	E		SOME N			Mounds. Blooms summer to fall. When plants get ragged, pull them out. Can easily be started from seed.
3	Thymus lanuginosus	Woolly Thyme	Р	2" H 18" W	FS	E					Low maintenance variety with tiny, felted, gray leaves. Good
3	Thymus spp.	Thyme	P, Some grown as A	See remarks	FS , Psh						Many species and varieties. Check water use and size. Sma space groundcovers.
1 - 2	Ungnadia speciosa	Mexican Buckeye	T or S	15' H & W	FS , Psh	D			*		Large shrub, but can be trained into a tree. Summer irrigational optional. Seeds poisonous.
2 - 3	Vauquelinia californica	Arizona Rosewood	S	20' H 15'W	FS	E		N			Good hedge plant. Slow grower at start. Similar to oleander but not toxic.
3	Verbascum olympicum	Mullein	Р	5'H 3'W	FS						Soft downy white leaves, bright yellow flowers
2 - 3	Verbena bipinnatifida	Verbena	Gc, P, Some grown as A	8-16"H 18"W	FS		FR	Eight native verbenas in Cochise County			Fast growing ground covers. Attractive in crevices and hanging baskets. V. bonariensis, V. gooddingii, Vx hortensis, V. peruviana, also attractive and acceptable.
3	Verbena peruviana	Verbena	Р	1'H 3'W	FS	E					Pink, red, white or purple flowers. Spreads by above ground runners.
3	Veronica incana	Silver Speedwell	Р	10" H 15" W	FS , Psh						Blooms late spring, but will keep flowering all summer if deadheaded
3	Veronica orientalis	Oriental Speedwell	Р	8" H 18" W	FS						Compact mounds of gray green foliage, deep blue flowers
1 - 2	Viguiera stenoloba	Skeletonleaf Goldeneye	Р	3' H & W	FS , Psh	E					Differs in both culture & foliage from other desert plants. Cai be utilized in medians, parking lot parking strips, and planter boxes.
2 - 3	Vitex agnus-castus	Chaste Tree	T or S	25' H&W	FS	D					Leaves aromatic. Blooms summer to fall. Available with white, blue or pink flowers.
1 - 2	Vitis californica	California Grape	V	To 30'	FS , Psh	D					Leaves emerge grayish, mature to green, turn red or yellow in autumn. Several varieties.
2 - 3	Wisteria spp.	Wisteria	S	See remarks		D			*		Check nursery for exposure and size for different species and varieties. Control size & shape and encourage bloom production by pruning and training. W. sinensis will bloom in FS or in Psh.
3	Xylosma congestum	Xylosma	T or S	8-10' H & W	FS , Psh	E or D					Single or multi stemmed. Stems zigzag and branches droop X. compacta grows slowly to half the size of species.

Water Use	Scientific Name	Common Name	Plant Type	Mature Size	Sun	Evergreen	Flammable	Native	Toxic	Cold Hardy	Remarks
1	Yucca baccata	Banana Yucca	Sc (T OR S)	3'H 5'W	FS	E	FR	N			Fruits look like short green bananas
1	Yucca elata	Soaptree Yucca	Sc (T OR S)	6-20'H 8- 10'W	FS	E	FR	N			Slow grower. 2' flowers on 3' annual spikes. Very common in grasslands.
1 - 2	Yucca glauca	Plain Soapweed	Sc	3-4' H & W	FS	E					In the summer green white flowers are borne on narrow spike 4' above foliage
1 - 2	Yucca rigida	Blue Yucca	Sc (T OR S)	12' H 5' W	FS	E				М	Dense spikes appear in spring or early summer
1 - 2	Yucca rostrata	Beaked Yucca	Sc	12'H 9'W	FS	E					Treelike. Trunk covered with soft gray fuzz. Showy spikes creamy white flowers.
1 - 2	Yucca schottii	Mountain Yucca	Sc	6-15' H 3-	FS , Psh	E		Ν			Clusters of white flowers from spring to midsummer
2 - 3		Hardy Hummingbird Trumpet/California Fuschia	Ρ	1.5' H 2' W	FS						'Arizonica' is 3' high and has bright orange flowers 'Everett's Choice' is an improved variety
2 - 3	Zexmenia hispida	Zexmenia	Р	2-3' H & W	FS , Psh						Can lose leaves in cold winters
1 - 2	Zinnia grandiflora	Prairie Zinnia	A in our zone	4"H 15"W	FS			N			Late summer bloomer. Can be difficult to grow.